

SL 3000



- + Universal control enclosure for automation engineering
- + Variable size in height, width and depth
- + Hinged door profile at front and rear
- + Front panel insertion from front and rear

Included in delivery

Enclosure body with rear wall, fixing elements, cover profile with corners

Technical data

Material:	Profile: DIN EN 573 EN AW-AlMgSi, Cast corner: DIN EN 1706 EN AC-AISI 12 Cu 1 (Fe)
Colour:	Powder coating, optional RAL 7035, light grey or, natural anodized, special colour on request
Ingress protection:	IP 65 to EN 60529
Seals:	CR and/or PU foam
Temperature range:	-30°C to +80°C
Bestellformular:	

Product range

Product type	Order number	---
SL 3000	20.30 99 99	

FCP - Foil Control Panel**Accessories**

Order number Description of accessories

20.60 10 50	FCP 240/3
20.60 10 51	FCP 335/6
20.60 10 52	FCP 483/8

Fixing set

Order number Description of accessories

20.60 10 01	for front panel, M4 (Set = 12 pcs)
20.60 10 02	for front panel, M5 (Set = 12 pcs)
20.60 10 03	for front panel (Set = 12 pcs)

Console connection set

Order number Description of accessories

30° or 50° inclination possible depending on assembly.
Standard length 300 mm, larger or smaller lengths on request.

Handle

Order number Description of accessories

20.60 40 02	Length 250 mm for front plate 265-314 mm
20.60 40 03	Length 300 mm for front plate 315-364 mm
20.60 40 04	Length 350 mm for front plate 365-414 mm
20.60 40 05	Length 400 mm for front plate 415-464 mm
20.60 40 06	Length 450 mm for front plate 465-514 mm
20.60 40 07	Length 500 mm for front plate 515-614 mm
20.60 40 09	Length 600 mm for front plate 615-664 mm
20.60 40 10	Length 650 mm for front plate 665-714 mm
20.60 40 11	Length 700 mm for front plate 715-764 mm
20.60 40 12	Length 750 mm for front plate 765-814 mm
20.60 40 13	Length 800 mm for front plate from 815 mm

mousepad surface

Order number

10.99 20 02**Coupling flange**

Order number Description of accessories

20.60 10 07	GT 48/2 / GTK electronic
--------------------	--------------------------

Locking plate

Order number Description of accessories

20.60 30 01	powdered GT 48/2 and GTK electronic
20.60 30 02	powdered GT 50/2 und GT 60/2
20.60 30 03	powdered GT 80/2
20.60 30 04	powdered GTK 80
20.60 30 05	powdered GTN II
20.60 30 11	anodized GT 48/2 and GTK electronic
20.60 30 12	anodized GT 50/2 and GT 60/2
20.60 30 13	anodized GT 80/2
20.60 30 14	anodized GTK 80
20.60 30 15	anodized GTN II

Certificates

UL 508