

Commander 1



- + Small control enclosure in aluminium with protective bumper bars
- + Robust aluminium diecast enclosure body with front plate
- + Transparent cover and handle set (optional)

Included in delivery

Enclosure body with front frame and fastening screws (2 or 4 pcs.). Please order front panel separately.

Technical data

Material:	DIN EN 1706 EN AC-AISI 12 (Fe)
Colour:	Powder coating, Body: RAL 7038, agate grey, Front frame: RAL 7043, traffic grey B, special colour on request
Ingress protection:	IP 65 to EN 60529, with transparent cover IP 54
Impact resistance:	7 Joule to EN 60079-0 (enclosure body)
Temperature range:	PU (polyurethane) seal (std.): -40°C to +90°C CR (chloroprene) seal: -40°C to +100°C VMQ (silicone) seal (optional): -60°C to +130°C Transparent lid -10°C to +50°C
Other versions on request:	Silicone lid seal

Product range

Product type	Order number	Dimensions H x W x D (mm)
13.21G	13.21 10 00	310 x 400 x 198

Accessories

Handles

Order number

13.34 00 02

13.34 00 04

13.34 20 01

13.34 20 02

Silicone seal

Order number

10.05 13 20

Transparent cover

Order number

Description of accessories

13.33 20 10 with knurled lock

13.33 20 20 with lock

Turn bolt fastener

Order number

Description of accessories

10.12 04 07 square 7 mm

10.12 04 08 square 8 mm

10.12 04 09 triangular 7 mm

10.12 04 10 triangular 8 mm

10.12 04 11 Daimler Benz

10.12 04 12 double ward

10.12 04 13 standard handle with lock

Front panel

Order number

10.01 30 20

Mounting plate

Order number

10.01 10 20

Internal hinges

Order number

Description of accessories

10.02 20 01 swivelling range 95°, set = 2 pcs

DIN rails

Order number

Description of accessories

10.06 14 27 TS 35/7,5

External hinges

Order number

Description of accessories

10.02 70 43 Set=2 pcs

Certificates

No approvals