

Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.06 06 03	AExe 05010	64 x 58 x 34
15.06 06 03	AExi 15010	64 x 58 x 34
25.06 06 03	AExB 25010	64 x 58 x 34

Maximum number of cable glands

M	Side	
	A/B	C/D
12	2	1
16		
20		
25		
32		
40		
50		
63		
75		
85		

	1,5	2,5	4	6	10	16	25	35	50	70	95
	3	3									
 x A	6										
	10	18									
	16	6	12								
	20	2	7								
	25		3								
	35										
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
	400										
500											



Order no.	Product type	Dimensions H x W x D (mm)
05.06 10 03	AExe 05015	64 x 98 x 34
15.06 10 03	AExi 15015	64 x 98 x 34
25.06 10 03	AExB 25015	64 x 98 x 34

Maximum number of cable glands

M	Side	
	A/B	C/D
12	4	1
16		
20		
25		
32		
40		
50		
63		
75		
85		

	1,5	2,5	4	6	10	16	25	35	50	70	95
	6	6									
	1	1									
 x A	6										
	10	20									
	16	7	13								
	20	2	7								
	25		3								
	35										
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
	400										
500											

DIN rail	TS 15
Length (mm)	87,5
External earth (mm ²)	2,5



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.06 15 03	AExe 05020	64 x 150 x 34
15.06 15 03	AExi 15020	64 x 150 x 34
25.06 15 03	AExB 25020	64 x 150 x 34

		1,5	2,5	4	6	10	16	25	35	50	70	95
		10	10									
		1	1									
x A	6											
	10											
	16	7	13									
	20	3	8									
	25		3									
	35											
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	8	1
16		
20		
25		
32		
40		
50		
63		
75		
85		

DIN rail	TS 15
Length (mm)	139
External earth (mm ²)	2,5



Order no.	Product type	Dimensions H x W x D (mm)
05.08 08 06	AExe 05025	80 x 75 x 57
15.08 08 06	AExi 15025	80 x 75 x 57
25.08 08 06	AExB 25025	80 x 75 x 57

		1,5	2,5	4	6	10	16	25	35	50	70	95
		6	6	5								
		1	1	1								
x A	6											
	10	27										
	16	9	18	70								
	20	3	10	20								
	25		5	11								
	35			3								
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	3	5
16	1	2
20	1	2
25	1	1
32		
40		
50		
63		
75		
85		

DIN rail	TS 15
Length (mm)	63
max. fitting length (mm)	46
External earth (mm ²)	4



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.08 13 06	AExe 05030	80 x 125 x 57
15.08 13 06	AExi 15030	80 x 125 x 57
25.08 13 06	AExB 25030	80 x 125 x 57

Terminal type	1,5	2,5	4	6	10	16	25	35	50	70	95
Terminal with screw	12	12	9								
Terminal with screw and N	1	1	1								
Terminal with screw and N (x A)	6										
	10	29									
	16	10	19	76							
	20	4	11	22							
	25		5	12							
	35			3							
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

Maximum number of cable glands

M	Side	
	A/B	C/D
12	9	5
16	4	2
20	3	2
25	2	1
32		
40		
50		
63		
75		
85		

DIN rail	TS 15
Length (mm)	113
max. fitting length (mm)	85,5
External earth (mm ²)	4



Order no.	Product type	Dimensions H x W x D (mm)
05.08 18 06	AExe 05035	80 x 175 x 57
15.08 18 06	AExi 15035	80 x 175 x 57
25.08 18 06	AExB 25035	80 x 175 x 57

Terminal type	1,5	2,5	4	6	10	16	25	35	50	70	95
Terminal with screw	25	25	21								
Terminal with screw and N	1	1	1								
Terminal with screw and N (x A)	6										
	10	29									
	16	10	19	77							
	20	4	11	22							
	25		5	12							
	35			3							
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

Maximum number of cable glands

M	Side	
	A/B	C/D
12	14	5
16	6	2
20	5	2
25	3	1
32		
40		
50		
63		
75		
85		

DIN rail	TS 15
Length (mm)	163
max. fitting length (mm)	135,5
External earth (mm ²)	4



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.08 25 05	AExe 05040	80 x 250 x 52
15.08 25 05	AExi 15040	80 x 250 x 52
25.08 25 05	AExB 25040	80 x 250 x 52

		1,5	2,5	4	6	10	16	25	35	50	70	95
		40	40	33								
		1	1	1								
x A	6											
	10	28										
	16	9	19	73								
	20	4	11	21								
	25		5	12								
	35			3								
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	23	6
16	9	2
20	8	2
25	5	1
32		
40		
50		
63		
75		
85		

DIN rail	TS 15
Length (mm)	238
max. fitting length (mm)	209,5
External earth (mm ²)	4



Order no.	Product type	Dimensions H x W x D (mm)
05.10 10 08	AExe 05045	100 x 100 x 81
15.10 10 08	AExi 15045	100 x 100 x 81
25.10 10 08	AExB 25045	100 x 100 x 81

		1,5	2,5	4	6	10	16	25	35	50	70	95
		14	11	9	7							
		1	1	1	1							
x A	6											
	10	37										
	16	12	24	95								
	20	5	14	27								
	25		6	15	30							
	35			4	11							
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	12	9
16	6	4
20	5	3
25	2	1
32	1	1
40		
50		
63		
75		
85		

DIN rail	TS 15/35
Length (mm)	87,5
max. fitting length (mm)	59,5
External earth (mm ²)	6



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.10 16 08	AExe 05050	100 x 160 x 81
15.10 16 08	AExi 15050	100 x 160 x 81
25.10 16 08	AExB 25050	100 x 160 x 81

		1,5	2,5	4	6	10	16	25	35	50	70	95
		28	23	19	14							
		1	1	1	1							
x A	6											
	10	39										
	16	13	26	101								
	20	5	15	29								
	25		7	16	32							
	35			4	12							
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	24	9
16	11	4
20	10	3
25	4	1
32	3	1
40		
50		
63		
75		
85		

DIN rail	TS 15/35
Length (mm)	148
max. fitting length (mm)	120
External earth (mm ²)	6



Order no.	Product type	Dimensions H x W x D (mm)
05.10 20 08	AExe 05055	100 x 200 x 81
15.10 20 08	AExi 15055	100 x 200 x 81
25.10 20 08	AExB 25055	100 x 200 x 81

		1,5	2,5	4	6	10	16	25	35	50	70	95
		38	30	25	19							
		1	1	1	1							
x A	6											
	10	39										
	16	13	26	102								
	20	5	15	29								
	25		7	16	32							
	35			5	12							
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	32	9
16	14	4
20	12	3
25	5	1
32	3	1
40		
50		
63		
75		
85		

DIN rail	TS 15/35
Length (mm)	188
max. fitting length (mm)	160
External earth (mm ²)	6



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.12 12 08	AExe 05060	120 x 122 x 81
15.12 12 08	AExi 15060	120 x 122 x 81
25.12 12 08	AExe 05010	120 x 122 x 81

		1,5	2,5	4	6	10	16	25	35	50	70	95
		19	15	13	10	8	6					
		1	1	1	1	1	1					
x 	6											
	10	40										
	16	13	26	103								
	20	5	15	30								
	25		7	17	32							
	35			5	12	31						
	50					10	26					
	63					3	12					
	80						4					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	10	11
16	5	5
20	4	4
25	2	2
32	1	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	107
max. fitting length (mm)	65
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.12 12 09	AExe 05065	120 x 122 x 91
15.12 12 09	AExi 15065	120 x 122 x 91
25.12 12 09	AExe 05015	120 x 122 x 91

		1,5	2,5	4	6	10	16	25	35	50	70	95
		19	15	13	10	8	6					
		1	1	1	1	1	1					
x 	6											
	10	43										
	16	14	28	110								
	20	6	16	32								
	25		7	18	35							
	35			5	13	34						
	50				2	11	28					
	63					3	13					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	10	11
16	5	5
20	4	4
25	2	2
32	1	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	107
max. fitting length (mm)	65
External earth (mm ²)	16



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.12 22 08	AExe 05070	120 x 220 x 81
15.12 22 08	AExi 15070	120 x 220 x 81
25.12 22 08	AExe 05020	120 x 220 x 81

Maximum number of cable glands



		1,5	2,5	4	6	10	16	25	35	50	70	95
		42	34	29	21	17	14					
		1	1	1	1	1	1					
x A	6											
	10	42										
	16	14	28	111								
	20	6	16	32								
	25		8	18	35							
	35			5	13	34						
	50				2	11	28					
	63					3	13					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M	Side	
	A/B	C/D
12	30	11
16	12	6
20	12	4
25	5	2
32	3	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	205
max. fitting length (mm)	164,5
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.12 22 09	AExe 05075	120 x 220 x 91
15.12 22 09	AExi 15075	120 x 220 x 91
25.12 22 09	AExe 05025	120 x 220 x 91

Maximum number of cable glands



		1,5	2,5	4	6	10	16	25	35	50	70	95
		42	34	29	21	17	14					
		1	1	1	1	1	1					
x A	6											
	10	45										
	16	15	30	118								
	20	6	17	34								
	25		8	19	37							
	35			5	14	36						
	50				2	11	30					
	63					4	14					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M	Side	
	A/B	C/D
12	34	11
16	15	6
20	14	4
25	6	2
32	4	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	205
max. fitting length (mm)	164,5
External earth (mm ²)	16



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.12 36 08	AExe 05080	120 x 360 x 81
15.12 36 08	AExi 15080	120 x 360 x 81
25.12 36 08	AExe 05030	120 x 360 x 81

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	61	51	39	31	26					
		1	1	1	1	1	1					
	6											
	10	43										
	16	14	28	112								
	20	6	16	32								
	25		8	18	35							
	35			5	13	34						
	50				2	11	28					
	63					3	13					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	58	11
16	26	5
20	24	4
25	10	2
32	7	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	343
max. fitting length (mm)	305
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.14 14 09	AExe 05085	140 x 140 x 91
15.14 14 09	AExi 15085	140 x 140 x 91
25.14 14 09	AExe 05035	140 x 140 x 91

		1,5	2,5	4	6	10	16	25	35	50	70	95
		23	19	16	12	9	8	6				
		1	1	1	1	1	1	1				
	6											
	10	45										
	16	15	30	117								
	20	6	17	34								
	25		8	19	37							
	35			5	14	36						
	50				2	11	30					
	63					4	14	49				
	80						5	15				
	100							6				
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	18	12
16	8	6
20	8	4
25	3	2
32	2	1
40		
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	126
max. fitting length (mm)	86
External earth (mm ²)	25



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.14 20 09	AExe 05090	140 x 200 x 91
15.14 20 09	AExi 15090	140 x 200 x 91
25.14 20 09	AExe 05040	140 x 200 x 91

Maximum number of cable glands

M	Side	
	A/B	C/D
12	28	12
16	12	6
20	12	4
25	5	2
32	3	1
40		
50		
63		
75		
85		

		1,5	2,5	4	6	10	16	25	35	50	70	95
		38	30	25	19	15	13	10				
		1	1	1	1	1	1	1				
x A	6											
	10	48										
	16	16	32	125								
	20	6	18	36								
	25		9	20	39							
	35			6	15	38						
	50				2	12	31					
	63					4	14	52				
	80						5	16				
	100							7				
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

DIN rail	TS 35
Length (mm)	186
max. fitting length (mm)	140
External earth (mm ²)	25



Order no.	Product type	Dimensions H x W x D (mm)
05.16 16 09	AExe 05095	160 x 160 x 91
15.16 16 09	AExi 15095	160 x 160 x 91
25.16 16 09	AExe 05045	160 x 160 x 91

Maximum number of cable glands

M	Side	
	A/B	C/D
12	26	16
16	12	8
20	9	6
25	5	3
32	3	2
40	2	1
50	2	
63		
75		
85		

		1,5	2,5	4	6	10	16	25	35	50	70	95
		28	23	19	14	11	9	7	7			
		1	1	1	1	1	1	1	1			
x A	6											
	10	48										
	16	16	32	125								
	20	6	18	36								
	25		9	20	39							
	35			6	15	38						
	50				2	12	31					
	63					4	14	52				
	80						5	16	58			
	100							7	15			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

DIN rail	TS 35
Length (mm)	144
max. fitting length (mm)	105
External earth (mm ²)	16



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.16 26 09	AExe 05100	160 x 260 x 91
15.16 26 09	AExi 15100	160 x 260 x 91
25.16 26 09	AExe 05050	160 x 260 x 91

		1,5	2,5	4	6	10	16	25	35	50	70	95
		52	42	35	26	21	18	14	14			
		1	1	1	1	1	1	1	1			
x 	6											
	10	52										
	16	18	34	135								
	20	7	20	39								
	25		9	22	42							
	35			6	16	41						
	50				2	13	34					
	63					4	16	56				
	80						6	17	63			
	100							7	16			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	50	16
16	24	8
20	17	6
25	10	3
32	5	2
40	3	1
50	3	
63		
75		
85		

DIN rail	TS 35
Length (mm)	245
max. fitting length (mm)	205
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.16 36 09	AExe 05105	160 x 360 x 91
15.16 36 09	AExi 15105	160 x 360 x 91
25.16 36 09	AExe 05055	160 x 360 x 91

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	61	51	39	31	26	21	21			
		1	1	1	1	1	1	1	1			
x 	6											
	10	53										
	16	18	35	138								
	20	7	20	40								
	25		9	22	43							
	35			6	17	42						
	50				2	13	35					
	63					4	16	58				
	80						6	18	64			
	100							7	17			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	72	16
16	36	8
20	24	6
25	15	3
32	7	2
40	5	1
50	4	
63		
75		
85		

DIN rail	TS 35
Length (mm)	343
max. fitting length (mm)	305
External earth (mm ²)	16



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.16 56 09	AExe 05110	160 x 560 x 91
15.16 56 09	AExi 15110	160 x 560 x 91
25.16 56 09	AExe 05060	160 x 560 x 91

Maximum number of cable glands

M	Side	
	A/B	C/D
12	104	16
16	58	8
20	40	6
25	24	3
32	12	2
40	8	1
50	6	
63		
75		
85		

		1,5	2,5	4	6	10	16	25	35	50	70	95
		123	100	83	63	50	42	34	34			
		1	1	1	1	1	1	1	1			
x A	6											
	10	53										
	16	18	35	138								
	20	7	20	40								
	25		9	22	43							
	35			6	17	42						
	50				2	13	35					
	63					4	16	58				
	80						6	18	64			
	100							7	17			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

DIN rail	TS 35
Length (mm)	543
max. fitting length (mm)	505
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.18 18 10	AExe 05115	180 x 180 x 101
15.18 18 10	AExi 15115	180 x 180 x 101
25.18 18 10	AExe 05065	180 x 180 x 101

Maximum number of cable glands

M	Side	
	A/B	C/D
12	30	20
16	15	9
20	11	8
25	6	3
32	3	2
40	2	2
50	2	
63		
75		
85		

		1,5	2,5	4	6	10	16	25	35	50	70	95
		33	26	22	17	13	11	9	9			
		1	1	1	1	1	1	1	1			
x A	6											
	10	54										
	16	18	36	139								
	20	7	21	40								
	25		10	23	44							
	35			6	17	43						
	50				2	14	35					
	63					4	16	58				
	80						6	18	65			
	100							7	17			
	125								7			
	160											
	200											
	225											
	250											
	315											
400												
500												

DIN rail	TS 35
Length (mm)	166
max. fitting length (mm)	126
External earth (mm ²)	16



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.18 28 10	AExe 05120	180 x 280 x 101
15.18 28 10	AExi 15125	230 x 100 x 111
25.18 28 10	AExe 05070	180 x 280 x 101

		1,5	2,5	4	6	10	16	25	35	50	70	95
		57	46	38	29	23	19	15	15			
		1	1	1	1	1	1	1	1			
x 	6											
	10	58										
	16	20	38	150								
	20	8	22	43								
	25		10	24	47							
	35			7	18	46						
	50				2	15	38					
	63					5	17	63				
	80						6	19	70			
	100							8	18			
	125								7			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	52	22
16	26	10
20	18	8
25	11	4
32	5	2
40	4	2
50	3	
63		
75		
85		

DIN rail	TS 35
Length (mm)	264
max. fitting length (mm)	221.5
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.23 10 11	AExe 05125	230 x 100 x 111
15.23 10 11	AExi 15120	180 x 280 x 101
25.23 10 11	AExe 05075	230 x 100 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		45	36	30	23							
		1	1	1	1							
x 	6											
	10	47										
	16	16	31	123								
	20	6	18	35								
	25		8	20	39							
	35			6	15							
	50				2							
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	15	45
16	8	18
20	6	17
25	3	8
32	2	5
40	1	3
50	1	2
63		2
75		
85		

DIN rail	TS 35
Length (mm)	214
max. fitting length (mm)	172
External earth (mm ²)	6



Aluminium Ex


Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.23 20 11	AExe 05130	232 x 202 x 111
15.23 20 11	AExi 15130	232 x 202 x 111
25.23 20 11	AExe 05080	232 x 202 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	62	52	38	15	13	10	10			
		2	2	2	2	1	1	1	1			
x A	6											
	10	62										
	16	21	41	160								
	20	8	24	46								
	25		11	26	50							
	35			7	19	49						
	50				2	16	40					
	63					5	19	67				
	80						7	21	75			
	100							9	19			
	125								8			
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	45	45
16	22	18
20	18	17
25	8	8
32	6	5
40	3	3
50	2	2
63	2	2
75		
85		

DIN rail	TS 35
Length (mm)	186
max. fitting length (mm)	140
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.23 20 18	AExe 05135	232 x 202 x 181
15.23 20 18	AExi 15135	232 x 202 x 181
25.23 20 18	AExe 05085	232 x 202 x 181

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	62	52	38	15	13	10	10	8		
		2	2	2	2	1	1	1	1	1		
x A	6											
	10	82										
	16	28	54	211								
	20	11	31	61								
	25		15	34	67							
	35			10	26	65						
	50				3	21	54					
	63					7	25	88				
	80						9	27	99			
	100							12	26			
	125								10	26		
	160									9		
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	90	81
16	42	36
20	33	33
25	18	16
32	10	9
40	6	6
50	5	5
63	4	4
75		
85		

DIN rail	TS 35
Length (mm)	186
max. fitting length (mm)	140
External earth (mm ²)	35



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.23 28 11	AExe 05140	230 x 280 x 111
15.23 28 11	AExi 15140	230 x 280 x 111
25.23 28 11	AExe 05090	230 x 280 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		114	92	76	58	46	19	15	15			
		2	2	2	2	2	1	1	1			
x 	6											
	10	67										
	16	23	44	173								
	20	9	26	50								
	25		12	28	54							
	35			8	21	53						
	50				3	17	44					
	63					5	20	72				
	80						7	22	81			
	100							9	21			
	125								8			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	70	45
16	32	18
20	24	17
25	12	8
32	9	5
40	4	3
50	3	2
63	3	2
75		
85		

DIN rail	TS 35
Length (mm)	264
max. fitting length (mm)	220
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.23 33 11	AExe 05145	230 x 330 x 111
15.23 33 11	AExi 15145	230 x 330 x 111
25.23 33 11	AExe 05095	230 x 330 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		138	110	92	70	56	23	19	19			
		2	2	2	2	2	1	1	1			
x 	6											
	10	69										
	16	23	45	178								
	20	9	26	51								
	25		12	29	56							
	35			8	22	54						
	50				3	18	45					
	63					6	21	74				
	80						8	23	83			
	100							10	22			
	125								9			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	84	45
16	42	18
20	30	17
25	15	8
32	11	5
40	5	3
50	4	2
63	4	2
75		
85		

DIN rail	TS 35
Length (mm)	314
max. fitting length (mm)	270
External earth (mm ²)	16



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.23 33 18	AExe 05150	230 x 330 x 181
15.23 33 18	AExi 15150	230 x 330 x 181
25.23 33 18	AExe 05100	230 x 330 x 181

		1,5	2,5	4	6	10	16	25	35	50	70	95
		138	110	92	70	56	23	19	19	14		
		2	2	2	2	2	1	1	1	1		
x A	6											
	10	88										
	16	30	59	228								
	20	12	34	66								
	25		16	37	72							
	35			11	28	70						
	50				4	23	58					
	63					7	27	96				
	80						10	30	107			
	100							13	28			
	125								11	28		
	160									10		
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	165	81
16	77	36
20	60	33
25	30	16
32	18	9
40	11	6
50	8	5
63	8	4
75		
85		

DIN rail	TS 35
Length (mm)	314
max. fitting length (mm)	270
External earth (mm ²)	35



Order no.	Product type	Dimensions H x W x D (mm)
05.23 40 11	AExe 05155	230 x 400 x 111
15.23 40 11	AExi 15155	230 x 400 x 111
25.23 40 11	AExe 05105	230 x 400 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		170	138	116	86	70	29	23	23			
		2	2	2	2	2	1	1	1			
x A	6											
	10	70										
	16	24	47	182								
	20	10	27	52								
	25		13	30	57							
	35			8	22	56						
	50				3	18	46					
	63					6	21	76				
	80						8	24	85			
	100							10	22			
	125								9			
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	103	45
16	50	18
20	39	17
25	20	8
32	14	5
40	6	3
50	5	2
63	5	2
75		
85		

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	16



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.23 40 23	AExe 05160	230 x 400 x 225
15.23 40 23	AExi 15160	230 x 400 x 225
25.23 40 23	AExe 05110	230 x 400 x 225

		1,5	2,5	4	6	10	16	25	35	50	70	95
		170	138	116	86	70	29	23	23	18		
		2	2	2	2	2	1	1	1	1		
x 	6											
	10	102										
	16	35	67	263								
	20	14	39	76								
	25		18	43	83							
	35			12	32	81						
	50				4	26	67					
	63					9	31	110				
	80						12	34	123			
	100							15	32			
	125								13	33		
	160									11		
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	240	108
16	122	48
20	100	44
25	54	21
32	30	13
40	18	9
50	15	6
63	12	5
75		
85		

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	35



Order no.	Product type	Dimensions H x W x D (mm)
05.23 60 11	AExe 05165	230 x 600 x 111
15.23 60 11	AExi 15165	230 x 600 x 111
25.23 60 11	AExe 05115	230 x 600 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95
		266	214	180	136	54	45	36	36			
		2	2	2	2	1	1	1	1			
x 	6											
	10	72										
	16	24	47	185								
	20	10	28	54								
	25		13	30	58							
	35			9	23	57						
	50				3	18	47					
	63					6	22	78				
	80						8	24	87			
	100							10	23			
	125								9			
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	150	43
16	72	18
20	54	17
25	28	8
32	20	4
40	10	3
50	8	2
63	6	2
75		
85		

DIN rail	TS 35
Length (mm)	581
max. fitting length (mm)	540
External earth (mm ²)	16



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.31 40 11	AExe 05170	313 x 404 x 111
15.31 40 11	AExi 15170	313 x 404 x 111
25.31 40 11	AExe 05120	313 x 404 x 111

Maximum number of cable glands

M	Side	
	A/B	C/D
12	105	68
16	50	28
20	39	26
25	20	12
32	14	7
40	6	4
50	5	3
63	5	3
75		
85		

	1,5	2,5	4	6	10	16	25	35	50	70	95
	258	210	174	132	70	58	23	23			
	3	3	3	2	2	2	1	1			
x A	6										
	10	81									
	16	27	54	209							
	20	11	31	60							
	25		15	34	66						
	35			10	26	64					
	50				3	21	43				
	63					7	24	87			
	80						9	27	98		
	100							11	26		
	125								10		
	160										
	200										
	225										
	250										
	315										
	400										
500											

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.31 40 14	AExe 05175	312 x 403 x 141
15.31 40 14	AExi 15175	312 x 403 x 141
25.31 40 14	AExe 05125	312 x 403 x 141

Maximum number of cable glands

M	Side	
	A/B	C/D
12	147	95
16	70	43
20	55	32
25	28	18
32	17	10
40	12	7
50	7	4
63	6	3
75		
85		

	1,5	2,5	4	6	10	16	25	35	50	70	95	
	258	207	174	132	70	58	23	23	18	14	14	
	3	3	3	2	2	2	1	1	1	1	1	
x A	6											
	10	89										
	16	30	59	230								
	20	12	34	67								
	25		16	38	73							
	35			11	28	71						
	50				4	23	58					
	63					7	27	97				
	80						10	30	108			
	100							13	28			
	125								11	29		
	160									10	25	
	200										9	22
	225										3	12
	250											6
	315											
	400											
500												

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	50



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.31 40 18	AExe 05180	313 x 404 x 181
15.31 40 18	AExi 15180	313 x 404 x 181
25.31 40 18	AExe 05130	313 x 404 x 181

		1,5	2,5	4	6	10	16	25	35	50	70	95	
		258	210	174	132	70	58	23	23	18	14	14	
		3	3	3	2	2	2	1	1	1	1	1	
	6												
	10	101											
	16	34	67	260									
	20	14	39	75									
	25		18	43	82								
	35			12	32	80							
	50				4	26	66						
	63					8	31	109					
	80						11	34	122				
	100							14	32				
	125								13	32			
	160									11	28		
	200										10	25	
	225											4	14
	250												7
	315												
	400												
	500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	205	122
16	98	54
20	78	51
25	40	24
32	22	15
40	15	9
50	11	6
63	8	6
75		
85		

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	50



Order no.	Product type	Dimensions H x W x D (mm)
05.31 40 23	AExe 05185	313 x 404 x 227
15.31 40 23	AExi 15185	313 x 404 x 227
25.31 40 23	AExe 05135	313 x 404 x 227

		1,5	2,5	4	6	10	16	25	35	50	70	95	
		258	210	174	132	70	58	23	23	18	14	14	
		3	3	3	2	2	2	1	1	1	1	1	
	6												
	10	114											
	16	39	75	294									
	20	16	44	85									
	25		21	48	93								
	35			14	36	90							
	50				5	29	75						
	63					10	35	123					
	80						13	38	138				
	100							16	36				
	125								14	37			
	160									12	32		
	200										11	28	
	225											4	16
	250												8
	315												
	400												
	500												

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	246	162
16	126	72
20	100	68
25	54	33
32	30	20
40	18	12
50	15	9
63	12	8
75		
85		

DIN rail	TS 35
Length (mm)	381
max. fitting length (mm)	340
External earth (mm ²)	50



Aluminium Ex

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.31 60 11	AExe 05190	310 x 600 x 111
15.31 60 11	AExi 15190	310 x 600 x 111
25.31 60 11	AExe 05140	310 x 600 x 111

		1,5	2,5	4	6	10	16	25	35	50	70	95											
		399	321	270	204	108	90	36	36														
		3	3	3	2	2	2	1	1														
x A	6	 N																					
	10												85										
	16												29	56	220								
	20												12	33	64								
	25													15	36	69							
	35														10	27	68						
	50															4	22	56					
	63																7	26	92				
	80																	10	29	103			
	100																		12	27			
	125																			11			
	160																						
	200																						
	225																						
	250																						
	315																						
	400																						
500																							

Maximum number of cable glands

M	Side	
	A/B	C/D
12	150	68
16	76	28
20	60	24
25	30	12
32	20	7
40	10	4
50	8	3
63	6	3
75		
85		

DIN rail	TS 35
Length (mm)	581
max. fitting length (mm)	540
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
05.31 60 18	AExe 05195	310 x 600 x 181
15.31 60 18	AExi 15195	310 x 600 x 181
25.31 60 18	AExe 05145	310 x 600 x 181

		1,5	2,5	4	6	10	16	25	35	50	70	95											
		399	321	270	204	108	90	36	36	28	22	22											
		3	3	3	2	2	2	1	1	1	1	1											
x A	6	 N																					
	10												104										
	16												36	69	269								
	20												15	40	78								
	25													19	44	85							
	35														13	33	83						
	50															5	27	68					
	63																9	32	113				
	80																	12	35	126			
	100																		15	33			
	125																			13	34		
	160																				11	30	
	200																					10	26
	225																					4	15
	250																						8
	315																						
	400																						
500																							

Maximum number of cable glands

M	Side	
	A/B	C/D
12	270	122
16	140	54
20	108	48
25	56	24
32	32	15
40	22	9
50	16	6
63	12	6
75		
85		

DIN rail	TS 35
Length (mm)	581
max. fitting length (mm)	540
External earth (mm ²)	50



Technical details



Order no.	Product type	Dimensions H x W x D (mm)
05.60 60 20	AExe 05200	600 x 600 x 202
15.60 60 20	AExi 15200	600 x 600 x 202
25.60 60 20	AExe 05150	600 x 600 x 202

Maximum number of cable glands		
M	Side	
	A/B	C/D
12	270	270
16	140	140
20	108	108
25	56	56
32	32	32
40	22	22
50	16	16
63	12	12
75		
85		

	1,5	2,5	4	6	10	16	25	35	50	70	95	120	150	185	240	
	532	428	360	204	162	135	108	108	56	22	22	18	18	15	15	
	4	4	4	3	3	3	2	2	1	1	1	1	1	1	1	
	6															
	10	142														
	16	49	95	368												
	20	20	55	107												
	25		26	60	116											
	35			18	45	113										
	50				6	37	94									
	63					12	43	154								
	80						16	48	173							
	100							20	45							
	125							2	18	46						
	160								16	41						
	200									14	35	109				
	225									5	20	42				
	250										10	26	54			
	315											5	15	32		
	400													7	22	
500															3	

DIN rail	TS 35
Length (mm)	575
max. fitting length (mm)	540
External earth (mm ²)	120

